


Latest collections
and upgrades
2023



:Fabbian

:Fabbian









Fabbian

:Fabbian

www.fabbian.com



ian

CONTROLLARE LA MERCE ALLA CONSEGNA E IL TRASPORTORE È RESPONSABILE DI EVENTUALI DANNI









Due punti,
va in scena
la luce.

Two points,
the light
comes on.



| | | |
|--------------------|-----|-------------|
| Latest collections | 12 | Comet |
| | 18 | Etnia |
| | 24 | Làmpara |
| | 30 | Lancetta |
| | 36 | Plana |
| | 42 | Rò |
| and upgrades | 48 | Acustica |
| | 56 | Akoya |
| | 62 | Bungee |
| | 66 | Dome |
| | 72 | Light Glide |
| | 78 | Metro |
| | 84 | Olympic |
| | 88 | Puppy |
| | 94 | Turny |
| | 100 | XY&Z |

Comet F67

Signorotto
+Partners
2023





Family

Wall

Ispirata al fenomeno astronomico di cui porta il nome, Comet è costituita da due elementi: il punto luce che evoca il nucleo di una cometa e il paralume allungato che ricorda la coda luminosa di uno dei corpi celesti più caratteristici e affascinanti. La luce, così direzionata, forma una delicata scia e dona all'ambiente un effetto luminoso soffuso e avvolgente. È ideale per ambienti pubblici come negozi o sale di attesa ma anche per ambienti privati come camere di hotel o soggiorni dal design minimale.

Inspired by the astronomical phenomenon from which it takes its name, Comet consists of two elements: the light point that evokes the nucleus of a comet and the elongated lampshade that recalls the luminous tail of this most characteristic and fascinating celestial body. When the light is directed in this way, it forms a delicate wake that gives the space a soft, enveloping luminous effect that makes it ideal for public spaces like shops or waiting rooms but also private spaces like hotel bedrooms or rooms of minimalist design.






La collezione Comet comprende una applique. Il diffusore è una sfera di vetro soffiato che viene avvolta da un paralume a U di alluminio verniciato antracite, bianco, bronzo, oro regale o Corten. La sorgente luminosa è a lampadina G9 LED ad alta efficienza e dimmerabile a taglio di fase.

The Comet range consists of a wall fitting. The diffuser is a sphere of blown glass wrapped by a U-shaped aluminium lampshade painted in the colours anthracite, white, bronze, royal gold, or Corten. The light source is a high-efficiency and dimmable phase-cut G9 LED bulb.

| | |
|--------------|---|
| Dimension | L 40cm x h. 9,7cm |
| Materials | Glass – Aluminium |
| Light Source | G9 LED 1x4,5W |
| Dimming | Phase cut |
| Finishes | White, Anthracite, Corten, Bronze, Royal gold |


Comet
→ Wall



Etnia F68

MinelliFossati
design studio
2023





Family

Pendant

Etnia riflette sul concetto di comunità e affinità, è infatti un sistema composto da un elemento lineare ed essenziale, a luce diretta e indiretta, e da pannelli intercambiabili sospesi tra due profili di alluminio. I pannelli di Etnia sono foderati con tessuti fonoassorbente di diversi colori e sono essere realizzati in finiture personalizzate. Colori e texture creano un'interazione con la luce dandone dinamicità e portando a definire una perfetta sintesi tra il mondo tecnico e quello decorativo.

As a reflection on the concepts of community and affinity, the Etnia system consists of a very simple linear element with direct and indirect light and interchangeable panels, suspended between a pair of aluminium profiles. The panels are lined with sound-absorbing fabrics in various colours and are available with customised finishes. These colours and textures create an interaction with the light, giving it dynamism and helping to define a perfect synthesis between the technical world and the decorative world.

La collezione Etnia è una sospensione per interno con proprietà di assorbimento acustico che si compone da pannelli realizzati in PET riciclato rivestiti in tessuto colorato e da una struttura in alluminio anodizzato nero con diffusore in PMMA (Polimetilmethacrilato) opalino superiore e diffusore in PMMA micro-prismatizzato inferiore. La sorgente LED è disponibile in versione ON OFF, oppure con il doppio controllo del flusso uplight e downlight con sistemi PUSH 1..10V, PUSH 1..10V DALI o taglio di fase. L'alimentatore è integrato e tutte le versioni sono ad alta efficienza e ripple free.

Etnia is a collection of indoor pendant lamps with sound absorbing properties, consisting of panels made from recycled PET covered in coloured fabric. The black anodised aluminium structure has an upper diffuser in opaline PMMA (Polymethylmethacrylate) and a lower diffuser in micro-prismated PMMA. The LED source is available in an ON OFF version, or with double control of the uplight and downlight flows with PUSH 1..10V, PUSH 1..10V DALI, or phase cut systems. The power supply is integrated, and all the versions are high efficiency and ripple free.

| | |
|--------------|---|
| Dimension | L 90cm or L 150cm x h. 46cm |
| Materials | Recycled PET – Aluminium – PMMA |
| Light Source | LED 2x35W (L 900mm), LED 2x58W (L 1500mm) – 2700K-3000K-4000K – CRI 90+ |
| Dimming | Push 1..10V, Push 1..10V DALI or Phase cut |
| Finishes | Sand, Beige, Coral, Grey, Green, Jeans |

Etnia
→ Pendant








Làmpara F69

RSVP/design
2023





Da sempre l'essenza di Fabbian è il vetro e, con la collezione Làmpara, l'obiettivo è esaltarne il valore, la bellezza e l'autenticità. Il vetro soffiato in particolar modo è la risultante di una lavorazione artigianale che rende il prodotto differente l'uno dall'altro anche solo per piccoli dettagli: questa diversità rende ogni lampada unica ed esclusiva. In definitiva, Làmpara è una piccola opera d'arte capace di regalare all'ambiente un tocco di originalità e di eleganza.

Glass has always been the essence of Fabbian, and with the Làmpara collection the aim is to enhance its value, beauty, and authenticity. Blown glass in particular results from an artisan process that makes each piece different from the others even if only in small details: a diversity that makes each lamp unique and exclusive. Fundamentally, Làmpara is a small-scale work of art with the ability to add a touch of originality and elegance to any space.





La collezione Làmpara è costituita da una lampada da tavolo in una dimensione. Il diffusore è in vetro soffiato spianato a mano dai mastri vetrari, la base della lampada è in alluminio anodizzato nero ed è fissata al vetro tramite tre grani che ne aumentano la stabilità e la solidità. La sorgente luminosa è a LED ad alta efficienza e dimmerabile PUSH.

Làmpara is a range of one-dimensional table lamps. The diffuser is made from hand-blown glass that is then flattened by master glassmakers; the base is in black anodised aluminium, fixed to the glass with three grains that increase its stability and solidity. The light source is a high efficiency PUSH dimmable LED.

| | |
|--------------|-----------------------------------|
| Dimension | 29cm x h.39,5cm |
| Materials | Glass – Aluminium |
| Light Source | LED 12W – 2700K-3000K – CRI 80+ |
| Dimming | PUSH |
| Finishes | Transparent, Green, Amber, Smoked |

→ Làmpara
Table



Lancetta F70

Mario Alessiani
2023



Lancetta è una collezione con due vite: da spenta è un oggetto che convive con grande minimalismo e rigore geometrico negli ambienti in cui è posta per poi sorprendere, quando viene accesa, aggiungendo un fascio di luce circolare proiettato a muro che ne completa la forma. Lancetta nasce infatti dalla volontà di valorizzare il minimalismo della struttura con un effetto luminoso deciso e sorprendente. Il design minimalista della lampada e la sua piccola dimensione, consentono di utilizzarla in molteplici contesti pubblici e privati, in particolar modo nei corridoi, ingressi o lunghe corsie. Inoltre, il design pulito e semplice si adatta a diversi stili di arredamento, dall'ambiente moderno al classico contemporaneo.


Lancetta is a collection with two lives: when it is off, it is an object that coexists with the spaces where it is placed, with great minimalism and geometric rigour. When it is turned on, it gives a surprise by adding a circular pool of light that it projects on the wall, completing the shape. In fact, Lancetta was born from the desire to enhance the minimalism of its structure with a decisive, surprising luminous effect. The minimalist design of this lamp, and its small size, mean it can be used in many different public and private settings, particularly corridors, entrances, or long passages. Moreover its clean, simple design adapts to different styles of interior, from modern to contemporary classic.

La collezione Lancetta è costituita da una applique in diverse finiture: bianco, antracite, Corten, bronzo e oro regale. Lancetta è composta da due parti principali: la struttura in alluminio a forma di L e la fonte luminosa installata sulla parte superiore della struttura, l'ottica è stata progettata ad hoc per poter ottenere un cerchio perfetto sulla parete. La sorgente luminosa è a LED ad alta efficienza.

The Lancetta collection consists of a wall lamp in different finishes: white, anthracite, Corten, bronze, and royal gold. The lamp consists of two main parts: the L-shaped aluminium structure and the light source integrated into the upper part; the optics are designed specifically to cast a perfect circle on the wall. The light source is high efficiency LED.

| | |
|--------------|---|
| Dimension | L 4cm x h. 18,5cm x 10cm |
| Materials | Aluminium |
| Light Source | LED 1x7W – 2700K-3000K – CRI 80+ |
| Dimming | ON/OFF |
| Finishes | White, Anthracite, Corten, Bronze, Royal gold |

Lancetta
→ Wall









Plana F71

Bellavista
& Piccini
2023





La ricerca della semplicità ci conduce ad indagare, spesso attraverso processi complessi, tutto ciò che ci circonda. La collezione Plana nasce dalla fascinazione della geometria piana e dei poligoni. Forme pure, riconoscibili: quadrato, rettangolo e cerchio concepiti in vetro e sostenuti da una base che protegge e conserva la sorgente luminosa invisibile. La luce non è diretta ma lambisce la lastra e si trasmette a contatto con il bordo. Una modalità inedita e inusuale di illuminare che crea effetti suggestivi e inaspettati.

Our search for simplicity leads us, often by way of complex processes, to investigate everything around us. The Plana collection was born from a fascination with flat geometry and polygons. Shapes that are pure and recognisable: a glass square, rectangle, and circle supported by a base that protects and preserves the invisible light source. The light is not direct; it brushes across the plate of glass and is only transmitted where it comes into contact with the edge. A new and unusual mode of lighting that creates evocative and unexpected effects.





La collezione Plana è composta da tre lampade da tavolo. Plana è realizzata in vetro colato e martellato da un lato nella forma di quadrato, rettangolo o cerchio, ha poi una base in cemento con un perno in PMMA sabbiato che la fissa al vetro. La sorgente luminosa è a LED ad alta efficienza e dimmerabile PUSH.

The Plana collection consists of three table lamps. They consist of a square, rectangle, or circle of cast glass hammered on one side, and a concrete base with a sandblasted PMMA pin that fixes it to the glass. The light source is a high efficiency PUSH dimmable LED.

| | |
|--------------|----------------------------------|
| Dimension | Ø35cm, 30cm x 30cm, 25cm x 40cm |
| Materials | Glass – Concrete |
| Light Source | LED 1x9W – 2700K-3000K – CRI 80+ |
| Dimming | PUSH |
| Finishes | Transparent |

Plana
→ Table



Rio F72

Filippo
Protasoni
2023



Come spesso accade, è dalla natura che trae ispirazione Rò: un lungo fiume che sfocia verso il mare aperto. Rò si costituisce infatti da pochi elementi essenziali: la struttura e il cavo di alimentazione rievocano il corso d'acqua che cerca il mare, la fonte luminosa rappresenta il nuovo inizio. La luce, direzionata verso il l'alto, illumina in maniera uniforme e avvolgente. Rò è ideale per impreziosire i locali con una luce d'ambiente, perfetta per studi medici, sale d'attesa, aree lounge e ambienti privati contemporanei.

Taking its inspiration from nature as we often do, Rò is a long river that flows towards the open sea. In fact, the Rò lamp consists of just a few essential elements; the structure and the power cable evoke the watercourse as it searches for the sea, and the light source represents the new beginning. The light is directed upwards and illuminates in an even, enveloping way. Rò is ideal for ambient lighting that embellishes a space and is perfect for medical practices, waiting rooms, lounge areas, and contemporary private spaces.






La collezione Rio comprende una lampada da terra. La struttura è in ferro e alluminio verniciati nelle finiture bianco, antracite o Corten, lungo la quale corre un cavo elettrico rivestito in tessuto disponibile in diverse varianti colore. Il diffusore è in PMMA opalino e la sorgente luminosa è a LED ad alta efficienza con alimentatore integrato e dimmerabile PUSH.

The Rio collection consists of a floor lamp. The structure is in steel and aluminium painted white, anthracite, or Corten with the power cable covered in fabric, running along the structure. The fabric is available in different colour variants. The diffuser is made from opal PMMA and the light source is high-efficiency LED with integrated power supply and dimmable PUSH.

| | |
|--------------|-----------------------------------|
| Dimension | Ø20cm x h. 182cm |
| Materials | Aluminium |
| Light Source | LED 1x17W - 2700K-3000K - CRI 80+ |
| Dimming | PUSH |
| Finishes | White, Anthracite, Corten |

Rio
→ Floor



Acustica F58

Gio Minelli &
Marco Fossati
2021





Family

Pendant 60
Pendant 90
Pendant 120
Wall 60
Wall 90

Ispirato ad un piatto della batteria, il grande e sottile paralume di Acustica ne ribalta il concetto, assorbendo le onde sonore ambientali e creando un elevato comfort acustico.

La sua posizione naturalmente inclinata e la leggerezza del paralume, permette di avere composizioni di lampade dinamiche e creative. La fonte luminosa è centrale e fissa, Acustica è disponibile in più varianti colore. È ideale per ambienti pubblici come ristoranti, uffici di lusso ma anche ampi spazi di attesa.

The wide, slim shape of the Acustica lampshade is inspired by the cymbal of a drum kit, but reverses the musical concept by absorbing sound from the space, to create a high level of acoustic comfort. Its naturally inclined angle, and its lightness, make possible dynamic and creative compositions of multiple lamps, whilst the light source itself remains central and fixed. Acustica is available in a range of colour variations, and is ideal for use in public spaces such as restaurants and luxury offices, as well as large waiting areas.

La collezione Acustica è costituita da tre sospensioni per interno con proprietà di assorbimento acustico, di diametro da 60 cm, 90 cm o 120 cm, e da due applique disponibili in diametro da 60 cm e 90 cm che mantengono invariate tutte le caratteristiche tecniche. La calotta è realizzata in PET riciclato, con struttura in alluminio anodizzato nero e diffusore in PMMA (Polimetilmethacrilato) opalino. La sorgente LED è disponibile dimmerabile 1-10V, DALI – PUSH o a taglio di fase con alimentatore integrato. Tutte le versioni sono ad alta efficienza e ripple free.

The Acustica collection consists of three indoor pendant lamps with sound-absorbing properties, in diameters of 60 cm, 90 cm or 120 cm, and it is also available in two wall lamps in the diameters of 60 cm and 90 cm with all the same technical characteristics. The shell is made from recycled PET, the structure is black anodised aluminium, and the diffuser is opal PMMA (polymethylmethacrylate). The LED source is available as 1-10V dimmable, DALI/PUSH, or phase cut, with an integrated power supply. Both versions are highly efficient and flicker-free.

| | |
|--------------|---|
| Dimension | Ø60cm, Ø90cm or Ø120cm |
| Materials | Recycled PET – Aluminum – PMMA |
| Light Source | LED 1x20W – 2700K/3000K – CRI 90+ |
| Dimming | 1.10V, DALI-PUSH or PHASE CUT |
| Finishes | 30%-100% Ocean, Coral, Concrete, Lawn green, Honey |

→ **Acustica
Pendant**







| | |
|--------------|---|
| Dimension | Ø60cm or Ø90cm |
| Materials | Recycled PET – Aluminum – PMMA |
| Light Source | LED 1x37W (Ø60cm) or LED 1x72W (Ø90cm) – 2700K/3000K – CRI 90+ ON/OFF or DALI PUSH 1.10V |
| Dimming | |
| Finishes | Ocean, Coral, Concrete, Lawn green, Honey |

Acustica → Wall






Akoya

F61

Filippo
Protasoni
2021





Pendant 30
Pendant 60
Wall 30

Akoya nasce dall'evoluzione geometrica della circonferenza, che prima si fa superficie bidimensionale – il cerchio, e poi volume tridimensionale – la sfera. Dall'interazione di queste due geometrie si sviluppa l'immagine di una conchiglia che custodisce una pregiata perla luminosa al suo interno. Proprio come le perle, simbolo di perfezione e conosciute per il loro notevole grado di lucentezza, anche la collezione di lampade Akoya dimostra la sua naturale semplicità e la capacità di dialogare con il contesto architettonico in cui si trovano.

Akoya was born from the geometric evolution of the circumference, which first became a two-dimensional surface – the circle – and then a threedimensional volume – the sphere. The interaction of these two geometries gave rise to the image of a shell housing a precious luminous pearl inside. Just like pearls, a symbol of perfection and known for their remarkable lustre, the Akoya collection also showcases its natural simplicity and ability to reflect its architectural environment.

La collezione Akoya comprende una applique di diametro 30cm e due sospensioni da interno di diametro 30cm e 60cm. È realizzata da due dischi metallici (disponibili nelle finiture bianco, antracite, corten e bronzo) che contengono un diffusore in vetro soffiato. La sorgente luminosa è a LED ad alta efficienza con alimentatore integrato e dimmerabile 1..10V, DALI o ON/OFF.

The Akoya collection comprises a indoor wall lamps in diameter of 30cm and two pendant lamps in diameters of 30cm and 60cm. It is made of two metal discs (available in white, anthracite, corten and bronze finishes) containing a blown glass diffuser. The light source is a high-efficiency LED with integrated power supply and dimmable 1..10V, DALI or ON/OFF.

| | |
|--------------|---|
| Dimension | Ø30cm |
| Materials | Glass – Metal |
| Light Source | LED 1x7W – 2700K/3000K – CRI 90 |
| Dimming | 1..10V, DALI or ON/OFF |
| Finishes | White, Anthracite, Corten, Bronze |
| Dimension | Ø30cm or Ø60cm |
| Materials | Glass – Metal |
| Light Source | LED 1x7W (Ø30cm) or 1x20W (Ø60cm) – 2700K/3000K – CRI 90 |
| Dimming | 1..10V, DALI or ON/OFF |
| Finishes | White, Anthracite, Corten, Bronze |

Akoya
 → Wall 30
 → Pendant 60









Bungee F64

Renato
Montagner
2022





Floor to ceiling

Bungee torna a fare parte delle nostre collezioni permanenti dopo vent'anni dal suo debutto. Un restyle che la riporta all'attualità, una lampada terra-cielo che saprà valorizzare ogni ambiente con la sua presenza. I miglioramenti sono visibili fin da subito: la corda ora è tessile e disponibile in più varianti colore, la base è in cemento e si possono gestire fino a tre punti luce. Bungee si ripresenta quindi come un essenziale elemento d'arredo, caratterizzante anche da spento.

Twenty years since it first made its debut, Bungee returns to our permanent collections with a restyling that brings it back up to date: a floor-to-ceiling light fitting whose presence will enhance any space. The improvements are immediately obvious: the cable is now made from fabric and comes in a range of colours; the base is made of concrete and can take up to three lamps. With these improvements, Bungee once again re-introduces itself as an essential element for furnishing interiors that has a strong presence even when it is switched off.

La collezione Bungee è costituita da una terra-cielo per interno. Bungee è composta da un cavo tessile con attacco a soffitto e alimentazione a terra. Il corpo illuminante è scorrevole, ruotante e dotato di un anello in alluminio con molle d'acciaio, che consentono di orientare a piacere il fascio di luce. La sorgente luminosa è un LED integrato ed è disponibile dimmerabile PUSH.

The Bungee Collection is a full-height floor-to-ceiling lamp for indoor use. The light fittings are supported on a fabric cable that is fixed to the ceiling. The power supply is at floor level. The body of the fitting can slide up and down and rotate, and has an aluminium ring with steel springs that enable the beam of light to be directed as desired. The light source is an integrated LED and is available with a dimmer PUSH.

| | |
|--------------|---------------------------------|
| Dimension | Ø12,5cm x h. max 300cm |
| Materials | Aluminum – Steel |
| Light Source | LED 1x7W – 2700K/3000K – CRI 90 |
| Dimming | PUSH |
| Finishes | Black, Red, Patterned cable |

Bungee
→ Floor-to-ceiling






Dome F62

Alessandro
Di Prisco
2022





Ispirato agli elementi architetturali, Dome è un sistema di illuminazione modulare a sospensione in cui ogni corpo lampada è collegato ad un altro mediante un arco così da creare una serie di volte che insieme alla luce disegnano lo spazio intorno. Grazie alla sua componibilità e alla possibilità di aggregare infiniti moduli, il sistema Dome risulta molto flessibile e adatto ad ogni esigenza, può illuminare spazi molto ampi restituendo delle vere e proprie architetture di luce dal forte impatto visivo.

Inspired by architectural elements, Dome is a modular suspension lighting system in which the body of each lamp is connected to the others by an arch, creating a series of vaults which, together with the light itself, design the surrounding space. Thanks to its modularity and the fact that an infinite number of modules can be aggregated together, Dome is a highly flexible lighting system that is suitable for every requirement, and can be used to light very large spaces, creating true architectures of light with a strong visual impact.





La collezione Dome è costituita da un punto luce per interno e da un arco di 1 metro realizzati in alluminio e ferro verniciati nero oppure oro. La sorgente LED è disponibile dimmerabile DALI PUSH 1..10V con alimentatore integrato. Tutte le versioni sono ad alta efficienza.

The Dome collection consists of an indoor light point and a 1 meter arc made of black or gold painted aluminum and iron. The LED source is available as DALI PUSH 1..10V dimmable, with an integrated power supply. Both versions are highly efficient.

| | |
|--------------|---------------------------------|
| Dimension | Ø5,5cm x h. 13cm |
| Materials | Aluminum – Iron |
| Light Source | LED 1x7W – 2700K/3000K – CRI 90 |
| Dimming | DALI PUSH 1..10V |
| Finishes | Black, Gold |

Dome
→ Pendant



Light Glade F57

Cory Grosser
2021





Light Glide è una lampada a sospensione dal design esclusivo. A prima vista, sembra essere un apparecchio lineare di base ma una funzione scorrevole consente di espandere la luce e raddoppiarne le dimensioni. Ciò consente di modulare la quantità della luce in base alle proprie preferenze personali o in risposta ai mobili sottostanti. Light Glide combina il carattere di un apparecchio architettonico con l'espressione di uno decorativo e raggiungendo quello che il designer chiama "felice minimalismo". È un prodotto semplice con una rivelazione sorprendente e deliziosa.

Light Glide is a pendant lamp of exclusive design. At first glance it looks like a standard strip fitting, but a slide function enables it to be doubled in size to illuminate a wider area so that the amount of light can be modulated to suit the furniture, or the personal taste of the user. By combining the character of an architectural luminaire with the expressiveness of a decorative light fitting, Light Glide achieves what its designer calls a "happy minimalism": a straightforward product that comes with a pleasing hidden surprise.






Idealmente posizionata in una sala da pranzo o sopra un tavolo da conferenza, può anche essere utilizzata in multipli per creare interessanti composizioni luminose. Inoltre l'UGR inferiore a 19 la rende versatile per l'installazione in uffici e zone dove il controllo dell'abbagliamento risulta di fondamentale importanza.

Light Glide è una sospensione per interno disponibile in alluminio anodizzato nero o verniciato bianco. I diffusori sono in PMMA (Polimetilmethacrilato) opalino e prismatizzato. La sorgente LED è disponibile in versione ON OFF, oppure con il doppio controllo del flusso uplight e downlight con sistemi PUSH, PUSH 1..10V, PUSH 1..10V DALI o taglio di fase. L'alimentatore è integrato e tutte le versioni sono ad alta efficienza e ripple free.

The ideal setting would be a dining room or above a meeting room table. Multiple fittings can be combined to create interesting compositions of light. Its UGR of less than 19 means that Light Glide is versatile and is also suitable for office lighting, or in any situation where it is very important to minimise glare. Light Glide is an indoor pendant lamp in black anodised or white painted aluminium. The diffusers are opal and prismatic PMMA (polymethylmethacrylate). The LED source is available in either an ON/OFF version, or with double control of the uplight and downlight flux by means of 1..10V PUSH/PUSH, 1..10V DALI/PUSH, or phase-cut dimming. The power supply is integrated and both versions are high efficiency and flicker-free.

| | |
|--------------|--|
| Dimension | L 117,5cm x h. 3,8cm |
| Materials | Aluminium – PMMA |
| Light Source | LED 1x53W or 1x149W – 3000K/4000K – CRI 90+ |
| Dimming | ON/OFF, PUSH1..10V, PUSH1..10V DALI |
| Finishes | White, Black |


→ **Light Glade
Pendant**



Metro F49

Technical Design
2021





Metro è un segno grafico luminoso, un concetto semplice che ora aggiunge alla famiglia un elemento: una linea dritta, un nastro metallico essenziale inserito all'interno di un tubolare in silicone ottico che dà vita a più situazioni. Alla base del progetto c'è l'obiettivo di rispondere efficacemente a uno dei problemi più diffusi nell'illuminazione di ambienti moderni e tradizionali: dare luce a spazi ampi caratterizzati da soffitti alti, travati, a volta o dipinti, spesso privi di punti luce. Metro risolve queste esigenze e offre molte altre possibilità con un impatto visivo minimo ed elegante al tempo stesso.

Metro is an illuminated graphical sign, a straightforward concept for a collection, now including a wall-mounted light fitting that will bring vitality to a range of situations: a straight line that takes the form of a minimalist metal strip, mounted inside an optical silicone tube. The starting point for the design was the need to address a problem that is very commonly encountered in both modern and traditional spaces: how to light large, high spaces that may have beams, vaults, or painted ceilings and where there are often no lighting points. Metro resolves these issues with a minimal, elegant visual impact as well as offering numerous other possibilities.





La nuova Metro con tubo in silicone è disponibile nella lunghezza di 6m, che l'utente può accorciare in base alle proprie esigenze, in finitura acciaio inox. La sorgente luminosa a LED, collocata lungo tutto il nastro, illumina l'ambiente omogeneamente.

The new Metro with the silicon tube is available in a 6m length, which the user can cut shorter if required, and has a stainless steel finish. The LED light source runs for its full length so that the space is evenly illuminated.

| | |
|--------------|------------------------------------|
| Dimension | h. 626cm |
| Materials | Stainless steel – Silicon |
| Light Source | LED 1x116W – 2700K/3000K – CRI 90+ |
| Dimming | ON/OFF, PUSH1.10V, PUSH1.10V DALI |
| Finishes | Polished stainless steel |


Metro
→ Pendant



Olympic F45

Lorenzo
Truant
2021





Un anello di luce ha il fascino olimpico di una forma aerea e conchiusa, a sé bastante. Un singolo anello permette di illuminare gli spazi proiettando la sua luce nello spazio come se agisse una forza centrifuga. L'aggiornamento della collezione Olympic aggiunge un nuovo elemento luminoso da tavolo, ideale per ambienti moderni e in stile classico contemporaneo.


An Olympic ring of light: the fascination of an ethereal shape that is complete in itself, illuminating a room with a single ring of light projected into the space, as though activated by a centrifugal force. The new table lamp is part of the updated Olympic collection. It is ideal for modern or contemporary classic interiors.

La lampada da tavolo Olympic è costituita da un diffusore circolare in alluminio verniciato bianco e anodizzato bronzo dove la sorgente luminosa a LED è collocata sulla circonferenza esterna. La base è in compound a base di cemento antograffio e lavabile. Il flusso luminoso è regolabile dal dimmer integrato e consente pertanto di creare la giusta atmosfera per ogni situazione.

The Olympic table lamp consists of a circular aluminium diffuser, painted white and bronze anodised with the LED light source mounted on its outer circumference. The base is made from a cement-based scratch-resistant washable compound. The light output can be adjusted using an integrated dimmer, enabling the appropriate mood to be created for every situation.

| | |
|--------------|----------------------------------|
| Dimension | Ø62,6cm x h. 63,8cm |
| Materials | Aluminium – Concrete |
| Light Source | LED 1x40W – 2700K/3000K – CRI90+ |
| Dimming | SLIDE |
| Finishes | White, Bronze |

Olympic
→ Table





Puppy F62

Alberto
Ghirardello
2021





Family

Table Pendant

Puppy è una lampada di piccole dimensioni e dal look essenziale. È l'unione di due elementi che si completano in una sinuosa armonia e donano alla lampada delle sembianze astratte che richiamano quelle di una marionetta. Puppy è ideale per ambienti in stile classico contemporaneo.

Puppy is a small lamp with an essential look. It is the union of two elements that complement each other in a sinuous harmony and they give the lamp abstract features that resemble those of a puppet. It is ideal for contemporary classic interiors.

La collezione Puppy comprende una lampada da tavolo e una sospensione da interni. Puppy è realizzata da una base in ceramica artigianale di Nove (Vicenza, Italia) e ha un diffusore in vetro soffiato incamiciato bianco. L'elettrificazione è a tensione di rete per lampadine LED.

The Puppy collection comprises a indoor table and pendant lamp. Puppy is made from a handcrafted ceramic base from Nove (Vicenza, Italy) and has a white blown glass diffuser. The LED bulb lamp electrification is mains voltage.

| | |
|--------------|-------------------|
| Dimension | Ø14cm x h.25cm |
| Materials | Glass – Ceramic |
| Light Source | E14 (max 10W LED) |
| Finishes | Black |

Puppy
→ Table





Dimension Ø14cm x h. 25cm
Materials Glass – Ceramic
Light Source E14 (max 10W LED)
Finishes Black

Puppy → Pendant





Turny F59

Emo Design
2021





Turny, disegnata da Emo Design, è una lampada portatile e ricaricabile pensata per il contract.

Nata dall'idea dei designer di rendere iconico il concetto della torcia, si è evoluta in un oggetto che si adatta ad ambienti trasversali, per soddisfare soprattutto le esigenze di hotel e ristoranti. Il grado di protezione IP54 ne permette l'utilizzo non solo in ambienti interni ma anche esterni come patio, giardini e terrazze.

The Turny portable rechargeable lamp by Emo Design is intended for contract interiors.

The design concept is based on the idea of a flashlight and transforms it into an iconic object that adapts to various settings, primarily in hotels and restaurants. Its IP54 protection means that it can also be used outdoors on patios and terraces, or in gardens.



WE
CO
WORK



La forma svasata con cui è stata concepita permette, come per gioco, di renderla funzionante anche se capovolta. L'interazione con Turny è altresì incentivata dalle modalità di accensione, spegnimento e modifica dell'intensità luminosa che avvengono attraverso un semplice tocco. L'autonomia è di 6 ore al 100% e di 11 ore al 50%.

Turny è una lampada da tavolo disponibile in ABS bianco, grigio antracite, beige sabbia, verde reseda, rosso porpora, blu Amalfi o rosa antico.

La lampada funziona con un sistema a batteria con LED ad alta efficienza e dimmerabile touch.

The concave shape means that it can be handled almost like a toy; it works even when it is turned upside down.

Users are encouraged to interact with it by playing at switching it on and off, or to modify the light intensity by simply touching the lamp. Autonomy: 6 hours at 100% and 11 hours at 50%.

The Turny table lamp is available in white ABS, anthracite grey, sand beige, reseda green, purple red, Amalfi blue, or dusty pink.

It is powered by a high efficiency battery and has touch-dimmable LEDs.

| | |
|--------------|--|
| Dimension | Ø9cm x h. 18cm |
| Materials | Aluminum – Iron |
| Light Source | LED 1x2.5W – 3000K – 225lm – Cri 80+ |
| Dimming | TOUCH |
| Finishes | White, Purple red, Dusty pink, Sand beige, Anthracite, Reseda green, Amalfi blue |

→ Turny
Table

WE
CO
WO



XY&Z
F63

Gensler
2022





Family

Pendant

Ispirato dalla capacità della natura di moltiplicarsi da un singolo seme, XY&Z incoraggia il propagarsi della luce da un unico punto a molti elementi diversi: XY&Z è una conversazione tridimensionale tra arte, design, tecnologia e bellezza. Progettato per lo spazio interno commerciale unico, XY&Z è una fonte di illuminazione decorativa e funzionale ideale nell'ambiente open space e in spazi di ritrovo come ospitalità, ristoranti, aree di servizi e spazi di vendita al dettaglio di boutique per creare un'esperienza di design sublime.

Inspired by nature's ability to multiply from a single seed, XY&Z encourages a propagation of light from a single point to many varied elements: XY&Z is a 3 dimensional conversation between artistry, design, technology, and beauty. Designed for the unique commercial interiors space, XY&Z is an ideal decorative and functional lighting source in the open space and for gathering spaces such as hospitality, restaurant, amenities areas, and boutique retail spaces to create a sublime design experience.





Il punto luce è realizzato in vetro soffiato ed è sospeso a diverse altezze. Il vetro interno è disponibile nei colori licorizia, prugna, petrolio, bronzo e ha una scelta tra quattro texture: slick, rigadin, baloton, aqua. Il vetro esterno è trasparente.


I rosoni sono disponibili in bianco o nero e si possono connettere da uno a quattro punti luce ad ognuno. L'elettrificazione è per lampadine E14, i punti luce possono essere dimmerati a taglio di fase.

The spotlight is made of blown glass and is suspendable at varying heights. The internal glass is available in licorice, plum, petroleum, bronze finishes and has a choice of four textures: slick, rigadin, baloton, aqua. The outside glass is clear. The canopies are available in white or black and can be connected from one to four light points to each one. The lamp is suitable for use with E14 bulbs and can be dimmed with phase cut.

| | |
|--------------|--|
| Dimension | Ø13cm x h. 20cm |
| Materials | Glass – Aluminum |
| Light Source | E14 (max 10W LED) |
| Dimming | PHASE CUT 30%-100% |
| Finishes | Transparent, Licorice, Plum, Petroleum, Bronze |

XY&Z
→ Pendant






Informazioni
tecniche

Technical
information

| | | |
|----------------|--|--|
| Pendant | <p>LED 100-277V – 1x20W 2700K or 3000K (4000K by request) 1604lm, CRI 90+ Dimm. 1.10V</p> <p>IP40 Net weight: 3,00 kg Included: LED, Dimmable electronic driver</p> | <p>F58 A71 06 Ocean 3000K F58 A71 32 Coral 3000K F58 A71 37 Concrete 3000K F58 A71 43 Lawn green 3000K F58 A71 47 Honey 3000K F58 A72 06 Ocean 2700K F58 A72 32 Coral 2700K F58 A72 37 Concrete 2700K F58 A72 43 Lawn green 2700K F58 A72 47 Honey 2700K</p> |
| | | |
| | <p>LED 220-240V – 1x20W 2700K or 3000K (4000K by request) 1604lm, CRI 90+ Dimm. DALI-PUSH</p> <p>IP40 Net weight: 3,00 kg Included: LED, Dimmable electronic driver</p> | <p>F58 A81 06 Ocean 3000K F58 A81 32 Coral 3000K F58 A81 37 Concrete 3000K F58 A81 43 Lawn green 3000K F58 A81 47 Honey 3000K F58 A82 06 Ocean 2700K F58 A82 32 Coral 2700K F58 A82 37 Concrete 2700K F58 A82 43 Lawn green 2700K F58 A82 47 Honey 2700K</p> |
| | | |
| | <p>LED 220-240V – 1x20W 2700K or 3000K (4000K by request) 1604lm, CRI 90+ Dimm. Phase cut 30%-100%</p> <p>IP40 Net weight: 3,00 kg Included: LED, Dimmable electronic driver</p> | <p>F58 A91 06 Ocean 3000K F58 A91 32 Coral 3000K F58 A91 37 Concrete 3000K F58 A91 43 Lawn green 3000K F58 A91 47 Honey 3000K F58 A92 06 Ocean 2700K F58 A92 32 Coral 2700K F58 A92 37 Concrete 2700K F58 A92 43 Lawn green 2700K F58 A92 47 Honey 2700K</p> |
| Pendant | <p>LED 100-277V – 1x20W 2700K or 3000K (4000K by request) 1604lm, CRI 90+ Dimm. 1.10V</p> <p>IP40 Net weight: 4,00 kg Included: LED, Dimmable electronic driver</p> | <p>F58 A11 06 Ocean 3000K F58 A11 32 Coral 3000K F58 A11 37 Concrete 3000K F58 A11 43 Lawn green 3000K F58 A11 47 Honey 3000K F58 A12 06 Ocean 2700K F58 A12 32 Coral 2700K F58 A12 37 Concrete 2700K F58 A12 43 Lawn green 2700K F58 A12 47 Honey 2700K</p> |
| | | |
| | <p>LED 220-240V – 1x20W 2700K or 3000K (4000K by request) 1604lm, CRI 90+ Dimm. DALI-PUSH</p> <p>IP40 Net weight: 4,00 kg Included: LED, Dimmable electronic driver</p> | <p>F58 A21 06 Ocean 3000K F58 A21 32 Coral 3000K F58 A21 37 Concrete 3000K F58 A21 43 Lawn green 3000K F58 A21 47 Honey 3000K F58 A22 06 Ocean 2700K F58 A22 32 Coral 2700K F58 A22 37 Concrete 2700K F58 A22 43 Lawn green 2700K F58 A22 47 Honey 2700K</p> |
| | | |
| | <p>LED 220-240V – 1x20W 2700K or 3000K (4000K by request) 1604lm, CRI 90+ Dimm. Phase cut 30%-100%</p> <p>IP40 Net weight: 4,00 kg Included: LED, Dimmable electronic driver</p> | <p>F58 A51 06 Ocean 3000K F58 A51 32 Coral 3000K F58 A51 37 Concrete 3000K F58 A51 43 Lawn green 3000K F58 A51 47 Honey 3000K F58 A52 06 Ocean 2700K F58 A52 32 Coral 2700K F58 A52 37 Concrete 2700K F58 A52 43 Lawn green 2700K F58 A52 47 Honey 2700K</p> |

Pendant



| | | | |
|--|--|--|--|
| LED 100-277V – 1x20W 2700K or 3000K (4000K by request) 1604lm, CRI 90+ Dimm. 1.10V IP40 Net weight: 6,00 kg Included: LED, Dimmable electronic driver | F58 A31 06 F58 A31 32 F58 A31 37 F58 A31 43 F58 A31 47 F58 A32 06 F58 A32 32 F58 A32 37 F58 A32 43 F58 A32 47 | Ocean Coral Concrete Lawn green Honey Ocean Coral Concrete Lawn green Honey | 3000K 3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K 2700K |
| LED 220-240V – 1x20W 2700K or 3000K (4000K by request) 1604lm, CRI 90+ Dimm. DALI-PUSH IP40 Net weight: 6,00 kg Included: LED, Dimmable electronic driver | F58 A41 06 F58 A41 32 F58 A41 37 F58 A41 43 F58 A41 47 F58 A42 06 F58 A42 32 F58 A42 37 F58 A42 43 F58 A42 47 | Ocean Coral Concrete Lawn green Honey Ocean Coral Concrete Lawn green Honey | 3000K 3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K 2700K |
| LED 220-240V – 1x20W 2700K or 3000K (4000K by request) 1604lm, CRI 90+ Dimm. Phase cut 30%-100% IP40 Net weight: 6,00 kg Included: LED, Dimmable electronic driver | F58 A61 06 F58 A61 32 F58 A61 37 F58 A61 43 F58 A61 47 F58 A62 06 F58 A62 32 F58 A62 37 F58 A62 43 F58 A62 47 | Ocean Coral Concrete Lawn green Honey Ocean Coral Concrete Lawn green Honey | 3000K 3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K 2700K |

Catalogue



06 Ocean



32 Coral



37 Concrete



43 Lawn green




47 Honey

Upon request

More than 50 finishes available upon request.

Wall-ceiling



LED 220-240V – 1x37W
2700K or 3000K (4000K by request)
1725lm, CRI 90+
Dimm. ON/OFF

IP40
Net weight: 6,00 kg
Included: LED, Electronic driver


| | | |
|------------|------------|-------|
| F58 G01 06 | Ocean | 3000K |
| F58 G01 32 | Coral | 3000K |
| F58 G01 37 | Concrete | 3000K |
| F58 G01 43 | Lawn green | 3000K |
| F58 G01 47 | Honey | 3000K |
| F58 G02 06 | Ocean | 2700K |
| F58 G02 32 | Coral | 2700K |
| F58 G02 37 | Concrete | 2700K |
| F58 G02 43 | Lawn green | 2700K |
| F58 G02 47 | Honey | 2700K |

LED 220-240V – 1x37W
2700K or 3000K (4000K by request)
1725lm, CRI 90+
Dimm. DALI PUSH 1.10V

IP40
Net weight: 6,00 kg
Included: LED, Dimmable electronic driver

| | | |
|------------|------------|-------|
| F58 G11 06 | Ocean | 3000K |
| F58 G11 32 | Coral | 3000K |
| F58 G11 37 | Concrete | 3000K |
| F58 G11 43 | Lawn green | 3000K |
| F58 G11 47 | Honey | 3000K |
| F58 G12 06 | Ocean | 2700K |
| F58 G12 32 | Coral | 2700K |
| F58 G12 37 | Concrete | 2700K |
| F58 G12 43 | Lawn green | 2700K |
| F58 G12 47 | Honey | 2700K |

Wall-ceiling



LED 100-277V – 1x20W
2700K or 3000K (4000K by request)
1604lm, CRI 90+
Dimm. 1.10V

IP40
Net weight: 9,00 kg
Included: LED, Dimmable electronic driver

| | | |
|------------|------------|-------|
| F58 G21 06 | Ocean | 3000K |
| F58 G21 32 | Coral | 3000K |
| F58 G21 37 | Concrete | 3000K |
| F58 G21 43 | Lawn green | 3000K |
| F58 G21 47 | Honey | 3000K |
| F58 G22 06 | Ocean | 2700K |
| F58 G22 32 | Coral | 2700K |
| F58 G22 37 | Concrete | 2700K |
| F58 G22 43 | Lawn green | 2700K |
| F58 G22 47 | Honey | 2700K |

LED 220-240V – 1x20W
2700K or 3000K (4000K by request)
1604lm, CRI 90+
Dimm. DALI-PUSH

IP40
Net weight: 9,00 kg
Included: LED, Dimmable electronic driver

| | | |
|------------|------------|-------|
| F58 G31 06 | Ocean | 3000K |
| F58 G31 32 | Coral | 3000K |
| F58 G31 37 | Concrete | 3000K |
| F58 G31 43 | Lawn green | 3000K |
| F58 G31 47 | Honey | 3000K |
| F58 G32 06 | Ocean | 2700K |
| F58 G32 32 | Coral | 2700K |
| F58 G32 37 | Concrete | 2700K |
| F58 G32 43 | Lawn green | 2700K |
| F58 G32 47 | Honey | 2700K |

Catalogue



06 Ocean



32 Coral



37 Concrete



43 Lawn green




47 Honey

Upon request


More than 50 finishes available upon request.

Pendant




| | | | |
|---|--|--|--|
| LED 220-240V – 1x7W 2700K or 3000K (4000K by request) 622lm, CRI 90+ Dimm. 1.10V IP40 Net weight: 3,38 kg Included: LED, Dimmable electronic driver | F61 A11 01 F61 A11 21 F61 A11 25 F61 A11 76 F61 A12 01 F61 A12 21 F61 A12 25 F61 A12 76 | White Anthracite Corten Bronze White Anthracite Corten Bronze | 3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K |
| LED 220-240V – 1x7W 2700K or 3000K (4000K by request) 622lm, CRI 90+ Dimm. DALI IP40 Net weight: 3,38 kg Included: LED, Dimmable electronic driver | F61 A21 01 F61 A21 21 F61 A21 25 F61 A21 76 F61 A22 01 F61 A22 21 F61 A22 25 F61 A22 76 | White Anthracite Corten Bronze White Anthracite Corten Bronze | 3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K |
| LED 220-240V – 1x7W 2700K or 3000K (4000K by request) 622lm, CRI 90+ Dimm. ON/OFF IP40 Net weight: 3,38 kg Included: LED, Electronic driver | F61 A31 01 F61 A31 21 F61 A31 25 F61 A31 76 F61 A32 01 F61 A32 21 F61 A32 25 F61 A32 76 | White Anthracite Corten Bronze White Anthracite Corten Bronze | 3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K |

Pendant



| | | | |
|--|--|--|--|
| LED 220-240V – 1x7W 2700K or 3000K (4000K by request) 622lm, CRI 90+ Dimm. 1.10V IP40 Net weight: 12,00 kg Included: LED, Dimmable electronic driver | F61 A61 01 F61 A61 21 F61 A61 25 F61 A61 76 F61 A62 01 F61 A62 21 F61 A62 25 F61 A62 76 | White Anthracite Corten Bronze White Anthracite Corten Bronze | 3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K |
| LED 220-240V – 1x7W 2700K or 3000K (4000K by request) 622lm, CRI 90+ Dimm. DALI IP40 Net weight: 12,00 kg Included: LED, Dimmable electronic driver | F61 A71 01 F61 A71 21 F61 A71 25 F61 A71 76 F61 A72 01 F61 A72 21 F61 A72 25 F61 A72 76 | White Anthracite Corten Bronze White Anthracite Corten Bronze | 3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K |
| LED 220-240V – 1x7W 2700K or 3000K (4000K by request) 622lm, CRI 90+ Dimm. ON/OFF IP40 Net weight: 12,00 kg Included: LED, Electronic driver | F61 A81 01 F61 A81 21 F61 A81 25 F61 A81 76 F61 A82 01 F61 A82 21 F61 A82 25 F61 A82 76 | White Anthracite Corten Bronze White Anthracite Corten Bronze | 3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K |

Wall



LED 220-240V - 1x7W
2700K or 3000K (4000K by request)
622lm, CRI 90+
Dimm. 1.10V
IP20
Net weight: 3,38 kg
Included: LED, Dimmable electronic driver

| | | |
|------------|------------|-------|
| F61 D11 01 | White | 3000K |
| F61 D11 21 | Anthracite | 3000K |
| F61 D11 25 | Corten | 3000K |
| F61 D11 76 | Bronze | 3000K |
| F61 D12 01 | White | 2700K |
| F61 D12 21 | Anthracite | 2700K |
| F61 D12 25 | Corten | 2700K |
| F61 D12 76 | Bronze | 2700K |


LED 220-240V - 1x7W
2700K or 3000K (4000K by request)
622lm, CRI 90+
Dimm. DALI
IP20
Net weight: 3,38 kg
Included: LED, Dimmable electronic driver

| | | |
|------------|------------|-------|
| F61 D21 01 | White | 3000K |
| F61 D21 21 | Anthracite | 3000K |
| F61 D21 25 | Corten | 3000K |
| F61 D21 76 | Bronze | 3000K |
| F61 D22 01 | White | 2700K |
| F61 D22 21 | Anthracite | 2700K |
| F61 D22 25 | Corten | 2700K |
| F61 D22 76 | Bronze | 2700K |

LED 220-240V - 1x7W
2700K or 3000K (4000K by request)
622lm, CRI 90+
Dimm. ON/OFF
IP20
Net weight: 3,38 kg
Included: LED, Electronic driver

| | | |
|------------|------------|-------|
| F61 D31 01 | White | 3000K |
| F61 D31 21 | Anthracite | 3000K |
| F61 D31 25 | Corten | 3000K |
| F61 D31 76 | Bronze | 3000K |
| F61 D32 01 | White | 2700K |
| F61 D32 21 | Anthracite | 2700K |
| F61 D32 25 | Corten | 2700K |
| F61 D32 76 | Bronze | 2700K |

Catalogue



01 White



21 Anthracite



25 Corten




76 Bronze

Upon request


Other finishes available upon request.

Wall



| | | | |
|--|--|--|--|
| LED 110-240V – 1x6W 2700K or 3000K (4000K by request) 920lm, CRI 90 Dimm. PUSH IP20 Net weight: 2,80 kg Included: 1 spot with 2,5m of electric cable, LED, Dimmable electronic driver Note: Max. 3 spots, Concrete base | F64 C11 S02 02 F64 C11 L02 02 F64 C11 S02 03 F64 C11 L02 03 F64 C11 S02 99 F64 C11 L02 99 F64 C12 S02 02 F64 C12 L02 02 F64 C12 S02 03 F64 C12 L02 03 F64 C12 S02 99 F64 C12 L02 99 | Black cord Black cord Red cord Red cord Patterned cord Patterned cord Black cord Black cord Red cord Red cord Patterned cord Patterned cord | 3000K – 24° (narrow beam) 3000K – 60° (wide beam) 3000K – 24° (narrow beam) 3000K – 60° (wide beam) 3000K – 24° (narrow beam) 3000K – 60° (wide beam) 2700K – 24° (narrow beam) 2700K – 60° (wide beam) 2700K – 24° (narrow beam) 2700K – 60° (wide beam) 2700K – 24° (narrow beam) 2700K – 60° (wide beam) |
|--|--|--|--|

Additional spot



| | | | |
|--|--|----------------------------------|--|
| LED 24Vdc – 1x6W 2700K or 3000K (4000K by request) 622lm, CRI 90 | F64 KX1 S 02 F64 KX1 L 02 F64 KX2 S 02 F64 KX2 L 02 | Black Black Black Black | 3000K – 24° (narrow beam) 3000K – 60° (wide beam) 2700K – 24° (narrow beam) 2700K – 60° (wide beam) |
|--|--|----------------------------------|--|

IP20
Net weight: 0,30 kg
Included: 1 spot with 2,5m of electric cable, LED

| | | | |
|--|--|----------------------------------|--|
| LED 24Vdc – 1x6W 2700K or 3000K (4000K by request) 622lm, CRI 90 | F64 KX3 S 02 F64 KX3 L 02 F64 KX4 S 02 F64 KX4 L 02 | Black Black Black Black | 3000K – 24° (narrow beam) 3000K – 60° (wide beam) 2700K – 24° (narrow beam) 2700K – 60° (wide beam) |
|--|--|----------------------------------|--|

IP20
Net weight: 0,30 kg
Included: 1 spot with 1,5m of electric cable, LED

Catalogue



02 Black cord




03 Red cord



99 Patterned cord

Wall



G9 220-240V – 1x4,5W LED
Dimm. Phase cut 30%-100%


IP40

Net weight: 1,30 kg

Not included: bulb

F67 D01 01 White
F67 D01 12 Royal gold
F67 D01 21 Anthracite
F67 D01 76 Bronze

Catalogue



01 White



12 Royal gold



21 Anthracite




76 Bronze

Upon request

Other finishes available upon request.

Pendant




LED 230Vac – 3x7W
2700K or 3000K (4000K by request)
3x920lm, CRI 90
Dimm. DALI PUSH 1.10V

IP20
Net weight: 3,45 kg
Included: 3 spots with integrated LED, 3 arches, canopy with dimmable electronic driver

| | | |
|---------------|-------|---------------------------|
| F65 A11 ST 02 | Black | 3000K – 15° (narrow beam) |
| F65 A11 LT 02 | Black | 3000K – 45° (wide beam) |
| F65 A11 ST 12 | Gold | 3000K – 15° (narrow beam) |
| F65 A11 LT 12 | Gold | 3000K – 45° (wide beam) |
| F65 A12 ST 02 | Black | 2700K – 15° (narrow beam) |
| F65 A12 LT 02 | Black | 2700K – 45° (wide beam) |
| F65 A12 ST 12 | Gold | 2700K – 15° (narrow beam) |
| F65 A12 LT 12 | Gold | 2700K – 45° (wide beam) |

Pendant




LED 230Vac – 4x7W
2700K or 3000K (4000K by request)
4x920lm, CRI 90
Dimm. DALI PUSH 1.10V

IP20
Net weight: 4,30 kg
Included: 4 spots with integrated LED, 4 arches, canopy with dimmable electronic driver

| | | |
|---------------|-------|---------------------------|
| F65 A11 SQ 02 | Black | 3000K – 15° (narrow beam) |
| F65 A11 LQ 02 | Black | 3000K – 45° (wide beam) |
| F65 A11 SQ 12 | Gold | 3000K – 15° (narrow beam) |
| F65 A11 LQ 12 | Gold | 3000K – 45° (wide beam) |
| F65 A12 SQ 02 | Black | 2700K – 15° (narrow beam) |
| F65 A12 LQ 02 | Black | 2700K – 45° (wide beam) |
| F65 A12 SQ 12 | Gold | 2700K – 15° (narrow beam) |
| F65 A12 LQ 12 | Gold | 2700K – 45° (wide beam) |

Pendant



LED 230Vac - 6x7W
2700K or 3000K (4000K by request)
6x920lm, CRI 90
Dimm. DALI PUSH 1.10V


IP20
Net weight: 6,60 kg
Included: 6 spots with integrated LED, 7 arches, canopy with dimmable electronic driver

| | | |
|---------------|-------|---------------------------|
| F65 A11 SR 02 | Black | 3000K - 15° (narrow beam) |
| F65 A11 LR 02 | Black | 3000K - 45° (wide beam) |
| F65 A11 SR 12 | Gold | 3000K - 15° (narrow beam) |
| F65 A11 LR 12 | Gold | 3000K - 45° (wide beam) |
| F65 A12 SR 02 | Black | 2700K - 15° (narrow beam) |
| F65 A12 LR 02 | Black | 2700K - 45° (wide beam) |
| F65 A12 SR 12 | Gold | 2700K - 15° (narrow beam) |
| F65 A12 LR 12 | Gold | 2700K - 45° (wide beam) |

Catalogue



02 Black




12 Gold

Upon request

Other finishes available upon request.

| | | | | |
|--------|--|--|--|--|
| Spot | LED 24Vdc – 1x7W 2700K or 3000K (4000K by request) 920lm, CRI 90 Dimmable IP20 Net weight: 0,70 kg Included: LED | F65 L11 SR 02 F65 L11 LR 02 F65 L11 SR 12 F65 L11 LR 12 F65 L12 SR 02 F65 L12 LR 02 F65 L12 SR 12 F65 L12 LR 12 | Black Black Gold Gold Black Black Gold Gold | 3000K – 15° (narrow beam) 3000K – 45° (wide beam) 3000K – 15° (narrow beam) 3000K – 45° (wide beam) 2700K – 15° (narrow beam) 2700K – 45° (wide beam) 2700K – 15° (narrow beam) 2700K – 45° (wide beam) |
| Arch | IP20 Net weight: 0,15 kg Not included: Spots | F65 K00 02 F65 K00 02 | Black Gold | |
| Canopy | LED 230Vac Dimm. DALI PUSH 1..10V IP20 Net weight: 0,90 kg Included: Dimmable electronic driver Not included: Spots | F65 M01 02 F65 M01 02 | Black Gold | Max. 4 spots Max. 4 spots |
| Canopy | LED 230Vac Dimm. DALI PUSH 1..10V IP20 Net weight: 1,50 kg Included: Dimmable electronic driver Not included: Spots | F65 M02 02 F65 M02 02 | Black Gold | Max. 6 spots Max. 6 spots |

Pendant



LED 110-230V - 2x38W
2700K or 3000K or 4000K
3690lm up, 4480lm down, CRI 90+
Dimm. ON/OFF


IP40
Net weight: 4,50 kg
Included: LED

| | | |
|------------|----------------|-------|
| F68 A01 03 | Strawberry red | 3000K |
| F68 A01 36 | Mustard | 3000K |
| F68 A01 16 | Sand beige | 3000K |
| F68 A01 31 | Blue jeans | 3000K |
| F68 A01 43 | Reseda green | 3000K |
| F68 A01 75 | Light grey | 3000K |
| F68 A02 03 | Strawberry red | 2700K |
| F68 A02 36 | Mustard | 2700K |
| F68 A02 16 | Sand beige | 2700K |
| F68 A02 31 | Blue jeans | 2700K |
| F68 A02 43 | Reseda green | 2700K |
| F68 A02 75 | Light grey | 2700K |
| F68 A03 03 | Strawberry red | 4000K |
| F68 A03 36 | Mustard | 4000K |
| F68 A03 16 | Sand beige | 4000K |
| F68 A03 31 | Blue jeans | 4000K |
| F68 A03 43 | Reseda green | 4000K |
| F68 A03 75 | Light grey | 4000K |

Catalogue



03 Strawberry red



36 Mustard



16 Sand beige



31 Blue jeans



43 Reseda green




75 Light grey

Upon request

More than 30 finishes available upon request.

Pendant




| | | | |
|--|--|---|--|
| LED 110-230V – 2x38W 2700K or 3000K or 4000K 3690lm up, 4480lm down, CRI 90+ Dimm. PUSH 1.10V | F68 A11 03 F68 A11 36 F68 A11 16 F68 A11 31 F68 A11 43 F68 A11 75 F68 A12 03 F68 A12 36 F68 A12 16 F68 A12 31 F68 A12 43 F68 A12 75 F68 A13 03 F68 A13 36 F68 A13 16 F68 A13 31 F68 A13 43 F68 A13 75 | Strawberry red Mustard Sand beige Blue jeans Reseda green Light grey Strawberry red Mustard Sand beige Blue jeans Reseda green Light grey Strawberry red Mustard Sand beige Blue jeans Reseda green Light grey | 3000K 3000K 3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K 2700K 2700K 4000K 4000K 4000K 4000K 4000K 4000K |
|--|--|---|--|

| | | | |
|---|--|---|--|
| LED 110-230V – 2x38W 2700K or 3000K or 4000K 3690lm up, 4480lm down, CRI 90+ Dimm. PUSH 1.10V DALI | F68 A21 03 F68 A21 36 F68 A21 16 F68 A21 31 F68 A21 43 F68 A21 75 F68 A22 03 F68 A22 36 F68 A22 16 F68 A22 31 F68 A22 43 F68 A22 75 F68 A23 03 F68 A23 36 F68 A23 16 F68 A23 31 F68 A23 43 F68 A23 75 | Strawberry red Mustard Sand beige Blue jeans Reseda green Light grey Strawberry red Mustard Sand beige Blue jeans Reseda green Light grey Strawberry red Mustard Sand beige Blue jeans Reseda green Light grey | 3000K 3000K 3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K 2700K 2700K 4000K 4000K 4000K 4000K 4000K 4000K |
|---|--|---|--|

| | | | |
|--|--|---|--|
| LED 110-230V – 2x38W 2700K or 3000K or 4000K 3690lm up, 4480lm down, CRI 90+ Dimm. Phase cut 30%-100% | F68 A31 03 F68 A31 36 F68 A31 16 F68 A31 31 F68 A31 43 F68 A31 75 F68 A32 03 F68 A32 36 F68 A32 16 F68 A32 31 F68 A32 43 F68 A32 75 F68 A33 03 F68 A33 36 F68 A33 16 F68 A33 31 F68 A33 43 F68 A33 75 | Strawberry red Mustard Sand beige Blue jeans Reseda green Light grey Strawberry red Mustard Sand beige Blue jeans Reseda green Light grey Strawberry red Mustard Sand beige Blue jeans Reseda green Light grey | 3000K 3000K 3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K 2700K 2700K 4000K 4000K 4000K 4000K 4000K 4000K |
|--|--|---|--|

Pendant




LED 110-230V - 2x64W
2700K or 3000K or 4000K
6150lm up, 7460lm down, CRI 90+
Dimm. ON/OFF

IP40
Net weight: 6,50 kg
Included: LED

| | | |
|------------|----------------|-------|
| F68 A51 03 | Strawberry red | 3000K |
| F68 A51 36 | Mustard | 3000K |
| F68 A51 16 | Sand beige | 3000K |
| F68 A51 31 | Blue jeans | 3000K |
| F68 A51 43 | Reseda green | 3000K |
| F68 A51 75 | Light grey | 3000K |
| F68 A52 03 | Strawberry red | 2700K |
| F68 A52 36 | Mustard | 2700K |
| F68 A52 16 | Sand beige | 2700K |
| F68 A52 31 | Blue jeans | 2700K |
| F68 A52 43 | Reseda green | 2700K |
| F68 A52 75 | Light grey | 2700K |
| F68 A53 03 | Strawberry red | 4000K |
| F68 A53 36 | Mustard | 4000K |
| F68 A53 16 | Sand beige | 4000K |
| F68 A53 31 | Blue jeans | 4000K |
| F68 A53 43 | Reseda green | 4000K |
| F68 A53 75 | Light grey | 4000K |

Catalogue



03 Strawberry red



36 Mustard



16 Sand beige



31 Blue jeans



43 Reseda green




75 Light grey

Upon request

More than 30 finishes available upon request.

Pendant




| | | | |
|--|--|---|--|
| LED 110-230V – 2x64W 2700K or 3000K or 4000K 6150lm up, 7460lm down, CRI 90+ Dimm. PUSH 1.10V | F68 A61 03 F68 A61 36 F68 A61 16 F68 A61 31 F68 A61 43 F68 A61 75 F68 A62 03 F68 A62 36 F68 A62 16 F68 A62 31 F68 A62 43 F68 A62 75 F68 A63 03 F68 A63 36 F68 A63 16 F68 A63 31 F68 A63 43 F68 A63 75 | Strawberry red Mustard Sand beige Blue jeans Reseda green Light grey Strawberry red Mustard Sand beige Blue jeans Reseda green Light grey Strawberry red Mustard Sand beige Blue jeans Reseda green Light grey | 3000K 3000K 3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K 2700K 2700K 4000K 4000K 4000K 4000K 4000K 4000K |
|--|--|---|--|

| | | | |
|---|--|---|--|
| LED 110-230V – 2x64W 2700K or 3000K or 4000K 6150lm up, 7460lm down, CRI 90+ Dimm. PUSH 1.10V DALI | F68 A71 03 F68 A71 36 F68 A71 16 F68 A71 31 F68 A71 43 F68 A71 75 F68 A72 03 F68 A72 36 F68 A72 16 F68 A72 31 F68 A72 43 F68 A72 75 F68 A73 03 F68 A73 36 F68 A73 16 F68 A73 31 F68 A73 43 F68 A73 75 | Strawberry red Mustard Sand beige Blue jeans Reseda green Light grey Strawberry red Mustard Sand beige Blue jeans Reseda green Light grey Strawberry red Mustard Sand beige Blue jeans Reseda green Light grey | 3000K 3000K 3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K 2700K 2700K 4000K 4000K 4000K 4000K 4000K 4000K |
|---|--|---|--|

| | | | |
|--|--|---|--|
| LED 110-230V – 2x64W 2700K or 3000K or 4000K 6150lm up, 7460lm down, CRI 90+ Dimm. Phase cut 30%-100% | F68 A81 03 F68 A81 36 F68 A81 16 F68 A81 31 F68 A81 43 F68 A81 75 F68 A82 03 F68 A82 36 F68 A82 16 F68 A82 31 F68 A82 43 F68 A82 75 F68 A83 03 F68 A83 36 F68 A83 16 F68 A83 31 F68 A83 43 F68 A83 75 | Strawberry red Mustard Sand beige Blue jeans Reseda green Light grey Strawberry red Mustard Sand beige Blue jeans Reseda green Light grey Strawberry red Mustard Sand beige Blue jeans Reseda green Light grey | 3000K 3000K 3000K 3000K 3000K 3000K 2700K 2700K 2700K 2700K 2700K 2700K 4000K 4000K 4000K 4000K 4000K 4000K |
|--|--|---|--|

Table




LED 220-240V - 1x12W
2700K or 3000K
1200lm, CRI 80+
Dimm. PUSH

IP40


Net weight: 4,70 kg
Included: LED

| | | |
|------------|-------------|-------|
| F69 B01 00 | Transparent | 3000K |
| F69 B01 43 | Green | 3000K |
| F69 B01 47 | Amber | 3000K |
| F69 B01 58 | Smoked | 3000K |
| F69 B02 00 | Transparent | 2700K |
| F69 B02 43 | Green | 2700K |
| F69 B02 47 | Amber | 2700K |
| F69 B02 58 | Smoked | 2700K |


Catalogue




00 Transparent



43 Green




47 Amber



58 Smoked

Wall




LED 220-240V – 1x7W
2700K or 3000K
690lm, CRI 80+
Dimm. ON/OFF

IP20
Net weight: 0,30 kg
Included: LED

| | | |
|------------|------------|-------|
| F70 D01 01 | White | 3000K |
| F70 D01 12 | Royal gold | 3000K |
| F70 D01 21 | Anthracite | 3000K |
| F70 D01 76 | Bronze | 3000K |
| F70 D02 01 | White | 2700K |
| F70 D02 12 | Royal gold | 2700K |
| F70 D02 21 | Anthracite | 2700K |
| F70 D02 76 | Bronze | 2700K |

Catalogue

Upon request



01 White



12 Royal gold




21 Anthracite



76 Bronze

Other finishes available upon request.

Pendant




LED 110-230V – 1x53W
3000K or 4000K
1336lm up, 1969lm down, CRI 90+
Dimm. ON/OFF

| | | |
|------------|-------|-------|
| F57 A51 01 | White | 3000K |
| F57 A51 02 | Black | 3000K |
| F57 A53 01 | White | 4000K |
| F57 A53 02 | Black | 4000K |

IP40
Net weight: 2,80 kg
Included: LED, Driver

Pendant



LED 110-230V – 1x149W
3000K or 4000K
4100lm up, 5909lm down, CRI 90+
Dimm. ON/OFF

| | | |
|------------|-------|-------|
| F57 A01 01 | White | 3000K |
| F57 A01 02 | Black | 3000K |
| F57 A03 01 | White | 4000K |
| F57 A03 02 | Black | 4000K |

IP40
Net weight: 7,70 kg
Included: LED, Driver

LED 110-230V – 1x149W
3000K or 4000K
5909lm up, 5909lm down, CRI 90+
Dimm. PUSH 1.10V (up/down independent)

| | | |
|------------|-------|-------|
| F57 A11 01 | White | 3000K |
| F57 A11 02 | Black | 3000K |
| F57 A13 01 | White | 4000K |
| F57 A13 02 | Black | 4000K |

IP40
Net weight: 7,70 kg
Included: LED, Dimm. electronic driver

LED 220-240V – 1x149W
3000K or 4000K
5909lm up, 5909lm down, CRI 90+
Dimm. PUSH 1.10V (up/down independent)

| | | |
|------------|-------|-------|
| F57 A21 01 | White | 3000K |
| F57 A21 02 | Black | 3000K |
| F57 A23 01 | White | 4000K |
| F57 A23 02 | Black | 4000K |


IP40
Net weight: 7,70 kg
Included: LED, Dimm. electronic driver

LED 220-240V – 1x149W
3000K or 4000K
5909lm up, 5909lm down, CRI 90+
Dimm. Phase cut 30%-100% (up/down independent)

| | | |
|------------|-------|-------|
| F57 A31 01 | White | 3000K |
| F57 A31 02 | Black | 3000K |
| F57 A33 01 | White | 4000K |
| F57 A33 02 | Black | 4000K |

IP40
Net weight: 7,70 kg
Included: LED, Dimm. electronic driver

Catalogue



01 White




02 Black

Upon request

Other finishes available upon request.

Pendant




LED 24V - 1x116W
2700K or 3000K
1632lm/m, CRI 90+
Dimm. ON/OFF

F49 G21 35 Polished stainless steel 3000K
F49 G22 35 Polished stainless steel 2700K

IP40
Net weight: 1,50 kg
Included: LED strip, 2 wall attachments, 2 metal covers, 6m metal strip, silicone cover

The strip can be cut to measure.

Accessory



Net weight: 1,20 kg
Included: 2 wall attachments, 2 metal covers


F49 Z08 35 Polished stainless steel

Driver

1.10V dimmable driver 240W 24Vdc

F49 Z03

Net weight: 1,30 kg




Driver

No dimmable driver 150W 24Vdc

F49 Z02

Net weight: 0,90 kg




Catalogue



35 Polished stainless steel

Table




LED 220-240V - 1x40W
2700K or 3000K
13260lm, CRI 90+
Dimm. SLIDE

| | | |
|------------|--------|-------|
| F45 B01 01 | White | 3000K |
| F45 B01 76 | Bronze | 3000K |
| F45 B02 01 | White | 2700K |
| F45 B02 76 | Bronze | 2700K |

IP40

Net weight: 4,42 kg
Included: LED, Dimmable electronic driver

Catalogue



01 White




76 Bronze

Upon request

Other finishes available upon request.

Table




LED 220-240V – 1x9W
2700K or 3000K
590lm, CRI 80+
Dimm. PUSH

IP40
Net weight: 7,60 kg
Included: LED

Note: Concrete base

F71 B01 00 Transparent
F71 B02 00 Transparent 3000K
 2700K

Table




LED 220-240V – 1x9W
2700K or 3000K
590lm, CRI 80+
Dimm. PUSH

IP40
Net weight: 7,40 kg
Included: LED

Note: Concrete base


F71 B11 00 Transparent
F71 B12 00 Transparent 3000K
 2700K

Catalogue



00 Transparent

Pendant




E14 220-240V – Max. 1x10W LED
Dimm. Phase cut 30%-100%

F62 A01 02 Black

IP20
Net weight: 1,00 kg
Not included: Bulb

Note: White glass, Black ceramic

Table



E14 220-240V – Max. 1x10W LED
Dimm. ON/OFF

F62 B01 02 Black

IP20
Net weight: 1,00 kg
Not included: Bulb


Note: White glass, Black ceramic

Catalogue



02 Black

Floor



LED 220-240V – 1x14W
2700K or 3000K
1320lm, CRI 80+
Dimm. PUSH

IP40


Net weight: 5,3 kg
Included: LED

| | | |
|----------------|-----------------------|------------------------------|
| F72 C01 Y01 03 | Red cord | 3000K – White structure |
| F72 C01 Y21 31 | Blue cord | 3000K – Anthracite structure |
| F72 C01 Y25 04 | Yellow /black cord | 3000K – Corten structure |
| F72 C02 Y01 03 | Red cord | 2700K – White structure |
| F72 C02 Y21 31 | Blue cord | 2700K – Anthracite structure |
| F72 C02 Y25 04 | Yellow /black cord | 2700K – Corten structure |

Catalogue



03 Red cord
and white
structure




31 Blue cord
and anthracite
structure




04 Yellow/black
cord and corten
structure

Table



| | | |
|---|------------|--------------|
| LED USB supply 5V – 1x2,5W | F59 B01 01 | White |
| 3000K | F59 B01 03 | Purple red |
| 225lm, CRI 80 | F59 B01 07 | Dusty pink |
| Dimm. TOUCH | F59 B01 16 | Sand beige |
| | F59 B01 21 | Anthracite |
| IP54 | F59 B01 43 | Reseda green |
| Net weight: 0,55 kg | F59 B01 73 | Amalfi blue |
| Included: LED, Battery, Battery charger, USB cable | | |


Catalogue



01 White



03 Purple red



07 Dusty pink



16 Sand beige



21 Anthracite

43 Reseda
green

73 Amalfi blue

| | | | | |
|--------|---|--|--|--|
| Glass | Net weight: 0,40 kg Not included: Spots | F63 V01 02 F63 V01 43 F63 V02 02 F63 V02 76 F63 V03 40 F63 V03 43 F63 V04 40 F63 V04 76 | Licorice Petroleum Licorice Bronze Plum Petroleum Plum Bronze | Slick internal glass Slick internal glass Rigadin internal glass Rigadin internal glass Baloton internal glass Baloton internal glass Aqua internal glass Aqua internal glass |
| Spots | E14 220-240V – Max. 1x10W LED Dimm. Phase cut 30%-100% | F63 L01 02 | Black | Transparent external glass |
| | IP20 Net weight: 0,80 kg Included: 3m cable Not included: Bulb | | | |
| | LED 24Vdc – 1x6W 2700K or 3000K -lm, CRI 90+ Dimmable | F63 L02 02 F63 L03 02 | Black Black | 2700K, Transparent external glass 3000K, Transparent external glass |
| | IP20 Net weight: 0,80 kg Included: LED, 3m cable | | | |
| Canopy | IP20 Net weight: 0,10 kg Not included: Spots | F63 M01 01 F63 M01 02 | White Black | |
| | | | | |

Catalogue



Contact

Italy

via Vicenza, 32
31050, Vedelago, Treviso
tel +39 0423 4848
fax +39 0423 484395
www.fabbian.com

Sales

italia@fabbian.com
export@fabbian.com

Mkt & Com

marketing@fabbian.com

Usa & Canada

Fabbian Usa Corp.
307 W 38th St Ste 1103
New York, NY 10018, Usa
ph. +1646 518 4160
fax +1646 970 3075
www.fabbian.us

Sales

usa@fabbian.com
canada@fabbian.com

Mkt & Com

marketing.usa@fabbian.com

Graphic Design
Metodo studio

Questo catalogo non può essere copiato, scansionato o riprodotto con alcun mezzo. Tutti i diritti sono riservati. Immagini, descrizioni, quotazioni, dimensioni e dati tecnici sono da considerarsi puramente indicativi. Pur mantenendo le caratteristiche fondamentali del prodotto, il produttore si riserva il diritto di apportare modifiche in qualsiasi momento con l'unico scopo di miglioramento.

This catalogue cannot be copied, scanned or reproduced by any means. All rights reserved. Pictures, descriptions, quoting, dimensions and technical datas have to be considered as purely indicative. While maintaining the basic characteristic of the product, the manufacturer reserves the right to make modifications at any time with the sole aim of improvement.

www.fabbian.com